IJCSPUB.ORG ISSN : 2250-1770

INTERNATIONAL JOURNAL OF CURRENT SCIENCE (IJCSPUB)

IJCS PUBLICATION (IJCSPUB.ORG) An International Open Access, Peer-reviewed, Refereed Journal

APPROACHING THE WORKING AND MEDICINAL STUDY OF DRAGON FRUITS IN THE DIABETES

Indranil Chatterjee[1,4], Pritam Karmakar[2], Md Mikail Azam[3], Suchetan Sarkar[3,] Rajesh Kumar Mahata[3]

1. Associate Professor, Department of Pharmaceutical Biotechnology, Birbhum Pharmacy School
2. Assistant Professor, Department of Pharmaceutical Technology, Birbhum Pharmacy School
3. B.Pharm, Department of Pharmacy, Birbhum Pharmacy School.
4. Research Scholar, JIS University

ABSTRCT:

Diabetes mellitus is a prevalent metabolic disorder characterized by impaired insulin function, resulting in elevated blood glucose levels. Given the increasing global burden of diabetes and the growing interest in natural remedies, there is a growing need to explore the potential benefits of dietary interventions. Dragon fruit (Hylocereus spp.), also known as pitaya, has gained attention for its purported anti-diabetic properties due to its rich composition of bioactive compounds. This review aims to summarize current research on the effects of dragon fruit consumption on diabetes management. Studies suggest that dragon fruit possesses various bioactive compounds such as polyphenols, flavonoids, and dietary fiber, which may contribute to its potential anti-diabetic effects. These compounds exhibit antioxidant and anti-inflammatory properties, which could help mitigate oxidative stress and inflammation associated with diabetes progression. Additionally, the presence of dietary fiber in dragon fruit may contribute to improved glycemic control by slowing down the absorption of glucose and promoting satiety. Several animal and human studies have demonstrated promising results regarding the beneficial effects of dragon fruit consumption on diabetes management. These include reductions in fasting blood glucose levels, improved insulin sensitivity, and modulation of lipid profiles. However, further well-controlled clinical trials are warranted to elucidate the mechanisms underlying these effects and determine optimal dosages for diabetes management. Dragon fruit shows promise as a dietary intervention for individuals with diabetes due to its rich composition of bioactive compounds and potential health benefits. Incorporating dragon fruit into a balanced diet may offer additional support for glycemic control and overall metabolic health. Nevertheless, more research is needed to fully understand its mechanisms of action and therapeutic potential in diabetes management.

Keywords- Polyphenols, Bioactive compound, Antioxidant, Insulin sensitivity, Glycemic control

INTRODUCTION:

Dragon fruit[1], also known as pitaya, is a unique and exotic fruit derived from several species of cactus plants belonging to the genus Hylocereus and Selenicereus. Native to Central and South America, dragon fruit is now cultivated in various tropical and subtropical regions worldwide, including Southeast Asia and Australia. Its striking appearance, with vibrant pink or yellow peel and speckled flesh dotted with small black seeds, and has made it a popular choice both as a culinary ingredient and a decorative fruit.

Dragon fruit is visually distinctive, with a waxy exterior resembling scale, which gives it its mythical name. There are three main varieties of dragon fruit, each distinguished by the color of its flesh:

1. Hylocereus undatus: Commonly known as white-fleshed dragon fruit, it has pink-skinned fruit with white flesh speckled with black seeds.
2. Hylocereus costaricensis: Referred to as red-fleshed dragon fruit, it features pink to magenta-colored peel with vibrant red flesh.
3. Hylocereus megalanthus: Also known as yellow dragon fruit, it has bright yellow skin and white flesh.

Fig.1- Dragon Fruits

Nutritional Composition:

Dragon fruit is not only visually appealing but also packed with essential nutrients and antioxidants. Despite its exotic appearance, it is relatively low in calories, making it a nutritious addition to various diets. The nutritional composition[2] of dragon fruit varies slightly depending on the variety, but generally, it contains:

a. Vitamins: Rich in vitamin C, dragon fruit also provides small amounts of vitamins A, B complex, and E.
b. Minerals: It contains essential minerals such as calcium, phosphorus, iron, and magnesium.
c. Dietary Fiber: Dragon fruit is a good source of dietary fiber, which aids in digestion and promotes a feeling of fullness.
d. Antioxidants: The fruit contains various antioxidants, including flavonoids, phenolic compounds, and betalains, which help combat oxidative stress and inflammation in the body.

Dragon fruit[3] is versatile and can be enjoyed in various ways, both raw and cooked. It can be eaten fresh by scooping out the flesh or cutting it into slices. The mild flavor and crunchy texture make it a popular

addition to fruit salads, smoothies, and desserts. In addition to its culinary uses, dragon fruit is also used to produce juices, jams, and jellies.

Dragon fruit is not only visually stunning but also offers a range of health benefits due to its rich nutritional profile. Whether consumed fresh or incorporated into various dishes, this exotic fruit provides a flavorful and nutritious addition to a balanced diet. With its potential to support overall health and well-being, dragon fruit continues to captivate consumers around the world.



Fig.2- Medicinal value of dragon fruits

WHAT IS DIABETES?

Diabetes mellitus is a chronic metabolic disorder characterized by elevated blood glucose levels[4] (hyperglycemia) resulting from defects in insulin secretion, insulin action, or both. It is a complex and multifactorial condition with significant implications for public health worldwide. In this comprehensive discussion, we will delve into the various aspects of diabetes, including its types, etiology, pathophysiology, clinical manifestations, complications, diagnosis, management, and prevention strategies.

Types of Diabetes:

IJCS PUBLICATION (IJCSPUB.ORG)

A. Type 1 Diabetes Mellitus (T1DM):

Type 1 diabetes, also known as insulin-dependent diabetes or juvenile-onset diabetes, typically manifests in childhood or adolescence, although it can occur at any age. It is characterized by autoimmune destruction of pancreatic beta cells, leading to absolute insulin deficiency. Individuals with type 1 diabetes require lifelong insulin therapy for survival. The exact cause of type 1 diabetes is not fully understood, but genetic predisposition and environmental factors, such as viral infections, may trigger autoimmune destruction of beta cells.

B. Type 2 Diabetes Mellitus (T2DM):

Type 2 diabetes, formerly known as non-insulin-dependent diabetes or adult-onset diabetes, is the most common form, accounting for the majority of diabetes cases worldwide. It typically develops in adulthood, although the incidence in children and adolescents is rising due to the global obesity epidemic. Type 2 diabetes is characterized by insulin resistance, where the body's cells become less responsive to insulin, combined with relative insulin deficiency due to impaired pancreatic beta cell function. Risk factors for type 2 diabetes include obesity, physical inactivity, genetic predisposition, ethnicity, aging, and certain medical conditions such as polycystic ovary syndrome (PCOS) and metabolic syndrome.

C. Gestational Diabetes Mellitus (GDM):

Gestational diabetes occurs during pregnancy and is characterized by hyperglycemia that develops or is first recognized during pregnancy. It results from hormonal changes and insulin resistance associated with pregnancy, particularly in the second and third trimesters.GDM increases the risk of adverse pregnancy outcomes for both the mother and the baby, including macrosomia (large birth weight), preterm birth, preeclampsia, cesarean delivery, and neonatal hypoglycemia. Women with a history of GDM are at increased risk of developing type 2 diabetes later in life.

D. Other Specific Types of Diabetes:

This category includes various forms of diabetes with specific etiologies, such as genetic defects of beta cell function or insulin action, diseases of the exocrine pancreas (e.g., pancreatitis, cystic fibrosis), drug-induced diabetes (e.g., glucocorticoids, antipsychotics), and endocrine disorders (e.g., Cushing's syndrome, acromegaly).These specific types of diabetes represent a heterogeneous group with distinct pathophysiological mechanisms and clinical features.

E. Secondary Diabetes Mellitus:

Secondary diabetes refers to diabetes that develops as a consequence of another primary medical condition or factor, such as certain medications, pancreatic diseases, hormonal disorders, or genetic syndromes.

Etiology and Pathophysiology:

i. Type 1 Diabetes Mellitus:

The etiology of type 1 diabetes involves a complex interplay of genetic susceptibility and environmental triggers, leading to autoimmune destruction of pancreatic beta cells. Genetic factors contribute to the predisposition to type 1 diabetes, with certain human leukocyte antigen (HLA) alleles, particularly HLA-DR and HLA-DQ, being strongly associated with the disease. Environmental triggers, such as viral infections (e.g., enteroviruses, coxsackievirus), dietary factors, and early childhood exposures, may initiate or accelerate the autoimmune process in genetically susceptible individuals. Autoimmune destruction of beta cells leads to a progressive decline in insulin secretion, resulting in absolute insulin deficiency and dependence on exogenous insulin therapy for survival.

ii. Type 2 Diabetes Mellitus:

Type 2 diabetes is primarily characterized by insulin resistance, where peripheral tissues (e.g., muscle, liver, adipose tissue) exhibit reduced responsiveness to insulin action, leading to impaired glucose uptake and utilization. Insulin resistance is often accompanied by compensatory hyperinsulinemia, as pancreatic beta cells attempt to overcome insulin resistance by increasing insulin secretion. Over time, pancreatic beta cell function may deteriorate, leading to relative insulin deficiency and further exacerbating hyperglycemia. Chronic low-grade inflammation, dyslipidemia, adipose tissue dysfunction (adiposopathy), and ectopic lipid deposition contribute to the pathogenesis of insulin resistance and beta cell dysfunction in type 2 diabetes. Genetic factors play a significant role in the predisposition to type 2 diabetes, with multiple susceptibility genes identified through genome-wide association studies (GWAS), including genes involved in insulin signaling, beta cell function, and glucose metabolism. Environmental factors, such as obesity, sedentary lifestyle, unhealthy dietary habits (e.g., high-calorie, high-fat diet), and socioeconomic factors, interact with genetic susceptibility to increase the risk of developing type 2 diabetes.

iii. Gestational Diabetes Mellitus:

The pathophysiology of gestational diabetes involves a combination of insulin resistance and impaired pancreatic beta cell function, similar to type 2 diabetes. Pregnancy-related hormonal changes, including increased levels of placental hormones such as human placental lactogen (hPL) and progesterone, contribute to insulin resistance, particularly in the second and third trimesters. Insulin resistance is further exacerbated by physiological alterations in glucose metabolism, including increased hepatic glucose production and decreased peripheral glucose uptake. Gestational diabetes develops when the maternal pancreatic beta cells are unable to compensate for the increased insulin resistance, resulting in hyperglycemia during pregnancy.

Symptoms of Diabetes Mellitus:

The classic symptoms of diabetes include polyuria (excessive urination), polydipsia (excessive thirst), polyphagia (excessive hunger), unexplained weight loss, fatigue, blurred vision, and slow wound healing.

However, some individuals, particularly those with type 2 diabetes, may be asymptomatic or have nonspecific symptoms, leading to delayed diagnosis and complications.

Complications of Diabetes Mellitus:

Diabetes can lead to a wide range of acute and chronic complications affecting various organ systems throughout the body.

Acute complications include diabetic ketoacidosis (DKA), hyperosmolar hyperglycemic state (HHS), hypoglycemia, and diabetic coma, which require prompt medical attention.

Chronic complications of diabetes can be categorized into macrovascular complications (e.g., cardiovascular disease, stroke, peripheral artery disease) and microvascular complications (e.g., diabetic nephropathy, diabetic retinopathy, diabetic neuropathy).

Hyperglycemia-induced oxidative stress, inflammation, endothelial dysfunction, and dyslipidemia contribute to the pathogenesis of diabetic complications, resulting in significant morbidity and mortality.

Diagnosis of Diabetes Mellitus:

The diagnosis of diabetes is based on fasting plasma glucose (FPG) levels, oral glucose tolerance test (OGTT), or hemoglobin A1c (HbA1c) levels, according to established diagnostic criteria from leading organizations such as the American Diabetes Association (ADA) and the World Health Organization (WHO).

Fasting plasma glucose ≥ 126 mg/dL (7.0 mmol/L), 2-hour.



Fig.3- The Difference between a normal and a diabetes patient glucose amount

WHY USING DRAGON FRUITS IN DIABETES[5]:

Incorporating dragon fruit into the diet of individuals with diabetes can potentially yield several beneficial effects due to its unique nutritional composition and bioactive compounds. Below are some of the key reasons why using dragon fruits in diabetes management can have positive effects:

1. Low Glycemic Index:

Dragon fruit has a relatively low glycemic index (GI), which means it does not cause a rapid spike in blood sugar levels after consumption. Foods with a low GI are generally preferred for individuals with diabetes as they help maintain more stable blood glucose levels over time.

2. High Fiber Content:

Dragon fruit is rich in dietary fiber, including both soluble and insoluble fiber. Fiber plays a crucial role in diabetes management by slowing down the absorption of glucose in the digestive tract, thereby preventing sudden spikes in blood sugar levels. Additionally, fiber promotes satiety, helping individuals feel fuller for longer periods, which can aid in weight management—a key aspect of diabetes control.

3. Antioxidant Properties[6]:

The vibrant color of dragon fruit is indicative of its rich antioxidant content, including vitamins C and E, as well as various phytonutrients such as flavonoids and betalains. Antioxidants help combat oxidative stress and inflammation, which are implicated in the development and progression of diabetes-related complications such as cardiovascular disease and neuropathy.

4. Potential Anti-inflammatory Effects:

Chronic inflammation is closely linked to insulin resistance—the hallmark of type 2 diabetes. Some compounds found in dragon fruit, such as betalains, have demonstrated anti-inflammatory properties in animal and in vitro studies. By reducing inflammation, dragon fruit may contribute to improved insulin sensitivity and better glucose control in individuals with diabetes.

5. Modulation of Lipid Profiles:

Abnormal lipid profiles, characterized by high levels of cholesterol and triglycerides, are common in individuals with diabetes and contribute to the increased risk of cardiovascular disease. Certain bioactive compounds in dragon fruit, particularly omega-3 fatty acids and polyunsaturated fats, may help lower LDL cholesterol levels and raise HDL cholesterol levels, promoting cardiovascular health in diabetic individuals.

6. Enhanced Insulin Sensitivity[7]:

Preliminary research suggests that regular consumption of dragon fruit may improve insulin sensitivity—a key factor in diabetes management, especially in type 2 diabetes. Improved insulin sensitivity allows cells to more effectively uptake glucose from the bloodstream, leading to better glycemic control and reduced reliance on exogenous insulin or other glucose-lowering medications.

7. Hydration and Electrolyte Balance:

Diabetes can increase the risk of dehydration due to frequent urination (polyuria) and associated fluid losses. Dragon fruit has a high water content, which can contribute to hydration and help maintain electrolyte balance—a crucial consideration for individuals with diabetes, particularly those at risk of hyperglycemia-induced dehydration.

8. Weight Management:

Obesity and excess body weight are significant risk factors for the development and progression of type 2 diabetes. Dragon fruit, with its low calorie content and high fiber content, can be a valuable addition to

weight management strategies for individuals with diabetes. By promoting satiety and reducing overall calorie intake, dragon fruit may help support weight loss or weight maintenance goals.

9. Versatility and Palatability:

One of the advantages of using dragon fruit in diabetes management is its versatility and palatability. Dragon fruit can be consumed fresh, added to fruit salads, blended into smoothies, or incorporated into various recipes and dishes. Its mild, slightly sweet flavor makes it appealing to a wide range of tastes, making it easier for individuals with diabetes to incorporate into their diets as part of a balanced meal plan.

The unique nutritional composition and bioactive compounds found in dragon fruit make it a promising addition to the diet of individuals with diabetes. From its low glycemic index and high fiber content to its antioxidant properties and potential anti-inflammatory effects, dragon fruit offers multiple pathways through which it can positively impact glycemic control, insulin sensitivity, lipid profiles, and overall metabolic health in individuals with diabetes.

However, it's essential to note that while dragon fruit can be a valuable component of a diabetes-friendly diet, it should be consumed in moderation as part of a well-rounded meal plan tailored to individual dietary needs and preferences. Additionally, further research, including well-designed clinical trials, is needed to fully elucidate the specific mechanisms and therapeutic effects of dragon fruit in diabetes management.



Fig.4- The Nutrition value of Dragon Fruit

DISADVANTAGE OF USING DRAGON FRUITS IN DIABETES:

While dragon fruit offers several potential benefits for individuals with diabetes, there are also some disadvantages and considerations that should be taken into account when incorporating it into the diet. It's essential to have a balanced perspective on its usage, To be aware of any potential drawbacks. Here are some disadvantages of using dragon fruit in diabetes management:

1. Impact on Blood Glucose Levels[9]:

- Despite having a relatively low glycemic index (GI), the exact effect of dragon fruit on blood glucose levels can vary among individuals, particularly those with diabetes.
- While dragon fruit's natural sugars are generally absorbed slowly due to its fiber content, some individuals may still experience a significant increase in blood sugar levels after consuming it, especially if eaten in large quantities or in combination with other high-carbohydrate foods.
- People with diabetes should monitor their blood glucose levels closely when consuming dragon fruit to gauge its impact on glycemic control and adjust their insulin or medication doses accordingly.

2. Carbohydrate Content:

- Dragon fruit, like many fruits, contains carbohydrates, primarily in the form of natural sugars such as glucose and fructose. While the fiber content in dragon fruit helps slow down the absorption of these sugars, it still contributes to the overall carbohydrate intake.
- Individuals with diabetes need to be mindful of their carbohydrate intake to manage blood glucose levels effectively. Consuming excessive amounts of carbohydrates, even from healthy sources like fruits, can lead to spikes in blood sugar levels and may hinder diabetes management.

3. Limited Evidence for Specific Benefits[10]:

- While some studies suggest potential benefits of dragon fruit for diabetes management, the evidence is still limited and primarily based on animal studies, in vitro research, and small-scale human trials.
- More extensive, well-controlled clinical studies are needed to validate the specific effects of dragon fruit on glycemic control, insulin sensitivity, and other metabolic parameters in individuals with diabetes.
- Without robust evidence supporting its efficacy, relying solely on dragon fruit as a therapeutic intervention for diabetes may not be advisable, and it should be integrated into a comprehensive diabetes management plan alongside other proven strategies.

4. Individual Variability:

- Responses to dietary interventions, including the consumption of dragon fruit, can vary widely among individuals, depending on factors such as genetics, metabolic health, medication use, and overall dietary patterns.
- While some people with diabetes may tolerate dragon fruit well and experience benefits in terms of blood sugar management, others may find that it negatively affects their glycemic control or digestive health.
- It's essential for individuals with diabetes to monitor their individual response to dragon fruit consumption and make informed decisions based on their own health status and preferences.

5. Potential for Allergic Reactions[11]:

- Although rare, some individuals may be allergic to dragon fruit or develop allergic reactions upon consumption. Allergic reactions to dragon fruit can range from mild symptoms such as itching, hives, or swelling to more severe reactions like anaphylaxis.
- People with known allergies to other fruits or plant foods should exercise caution when trying dragon fruit for the first time and seek medical advice if they experience any adverse reactions.

6. Cost and Accessibility:

- Dragon fruit may not be readily available or affordable for everyone, depending on factors such as geographic location, seasonal availability, and market prices.
- In regions where dragon fruit is imported or considered a specialty item, it may be more expensive than locally grown fruits, making it less accessible to individuals with limited financial resources.

- Cost and accessibility considerations should be taken into account when recommending dragon fruit as part of a diabetes-friendly diet, as affordability and availability can impact dietary adherence and overall health outcomes.

7. Interactions with Medications:

- Dragon fruit contains various bioactive compounds and nutrients that may interact with certain medications commonly used to treat diabetes or other medical conditions.

Dragon fruit's[12] high fiber content could affect the absorption or metabolism of oral medications, potentially altering their efficacy or safety. Individuals with diabetes who are taking medications such as insulin, oral hypoglycemic agents, or other prescription drugs should consult with their healthcare provider before incorporating dragon fruit into their diet to ensure there are no adverse interactions.

While dragon fruit offers several potential health benefits and can be part of a balanced diet for individuals with diabetes, it's essential to consider its disadvantages and limitations as well. Monitoring blood glucose levels, managing carbohydrate intake, and individualizing dietary recommendations are crucial aspects of diabetes management that should be emphasized when incorporating dragon fruit or any other food into the diet. Additionally, more research is needed to better understand the specific effects of dragon fruit on diabetes outcomes and to inform evidence-based dietary guidelines for individuals with diabetes. As with any dietary change, consulting with a healthcare provider or registered dietitian is recommended to ensure that dragon fruit consumption aligns with individual health goals and preferences while supporting overall diabetes management.



Fig.5- Various Uses of Dragon Fruits

MARKET OF DRAGON FRUITS:

Dragon fruit, scientifically known as Hylocereus undatus[13], has gained attention for its potential health benefits, particularly in managing diabetes. Rich in fiber and low in sugar, dragon fruit has a low glycemic index, making it suitable for diabetes management. The fruit contains natural sugars, including fructose, which is metabolized more slowly, resulting in a gradual rise in blood sugar levels. The market for dragon fruits targeting diabetes treatment has witnessed significant growth due to increased awareness of its nutritional value and health benefits among diabetic individuals. Health-conscious consumers are seeking natural alternatives to traditional diabetes management methods, leading to a surge in demand for functional foods like dragon fruit.

CONCLUSION:

Dragon fruit is rich in antioxidants such as vitamin C, beta-carotene, and polyphenols. These compounds possess anti-inflammatory and free radical-scavenging properties, potentially mitigating oxidative stress associated with diabetes complications. Moreover, certain antioxidants may enhance insulin sensitivity, facilitating glucose uptake by peripheral tissues. Studies exploring the impact of dragon fruit on diabetic parameters have shown promising results. Some have reported reductions in fasting blood glucose levels, improved insulin sensitivity, and enhanced lipid profiles following regular consumption of dragon fruit. However, further research, including long-term clinical trials involving larger sample sizes, is warranted to corroborate these findings and elucidate underlying mechanisms. Incorporating dragon fruit into a diabetic diet can be a convenient and enjoyable way to reap its potential benefits. It can be consumed fresh, added to fruit salads, blended into smoothies, or used as a topping for yogurt or oatmeal. However, moderation is key, as excessive intake may lead to calorie overload, potentially affecting glycemic control and weight management. It is important to emphasize that dragon fruit consumption should complement, not replace, standard diabetes management strategies. Individuals with diabetes should continue to adhere to prescribed medications, monitor blood glucose levels regularly, engage in regular physical activity, and follow a balanced diet tailored to their individual needs. Dragon fruit possesses several attributes that make it a potentially valuable adjunct in the management of diabetes mellitus. Its low glycemic index, high fiber content, and antioxidant properties suggest favorable effects on blood glucose regulation and oxidative stress, both of which are pivotal in diabetes management. While existing evidence is promising, more rigorous research is needed to fully elucidate the therapeutic potential of dragon fruit in diabetes. Nonetheless, incorporating this exotic fruit into a well-rounded diabetic diet can offer nutritional diversity and may contribute to overall health and well-being.

IJCSPUB PUBLICATION (IJCSPUB.ORG)

REFERANCE:

1. Ruzainah AJ, Ahmad R, Nor Z, Vasudevan R. Proximate analysis of dragon fruit (Hylecereus polyhizus). American Journal of Applied Sciences. 2009;6(7):1341-6.
2. Hossain FM, Numan SM, Akhtar S. Cultivation, nutritional value, and health benefits of Dragon Fruit (Hylocereus spp.): A Review. International Journal of Horticultural Science and Technology. 2021 Sep 1;8(3):259-69.
3. Perween T, Mandal KK, Hasan MA. Dragon fruit: An exotic super future fruit of India. Journal of Pharmacognosy and Phytochemistry. 2018;7(2):1022-6.
4. Sonawane MS. Nutritive and medicinal value of dragon fruit.
5. Jamaludin NA, Ding P, Hamid AA. Physico-chemical and structural changes of red-fleshed dragon fruit (Hylocereus polyrhizus) during fruit development. Journal of the Science of Food and Agriculture. 2011 Jan 30;91(2):278-85.
6. Saenjum C, Pattananandecha T, Nakagawa K. Antioxidative and anti-inflammatory phytochemicals and related stable paramagnetic species in different parts of dragon fruit. Molecules. 2021 Jun 10;26(12):3565.

7. Phongtongpasuk S, Poadang S, Yongvanich N. Environmental-friendly method for synthesis of silver nanoparticles from dragon fruit peel extract and their antibacterial activities. Energy Procedia. 2016 Jun 1;89:239-47.
8. Widyaningsih A, Setiyani O, Umaroh U, Sofro MA, Amri F. Effect of consuming red dragon fruit (Hylocereus costaricensis) juice on the levels of hemoglobin and erythrocyte among pregnant women. Belitung Nursing Journal. 2017 Jun 7;3(3):255-64.
9. Ismail NS, Ramli N, Hani NM, Meon ZJ. Extraction and characterization of pectin from dragon fruit (Hylocereus polyrhizus) using various extraction conditions. Sains Malaysiana. 2012 Jan 1;41(1):41-5.
10. Nishikito DF, Borges AC, Laurindo LF, Otoboni AM, Direito R, Goulart RD, Nicolau CC, Fiorini AM, Sinatora RV, Barbalho SM. Anti-inflammatory, antioxidant, and other health effects of dragon fruit and potential delivery systems for its bioactive compounds. Pharmaceutics. 2023 Jan 3;15(1):159.
11. Merten S. A review of Hylocereus production in the United States. J. PACD. 2003 Nov;5:98-105.
12. Joshi M, Prabhakar B. Phytoconstituents and pharmaco-therapeutic benefits of pitaya: A wonder fruit. Journal of Food Biochemistry. 2020 Jul;44(7):e13260.
13. Sinha RA, Jha MK, Karuna KU. Dragon fruit: A fruit for health benefits and nutritional security. Int. J. Agric. Sci. 2018;8(2):97-100.

IJCS PUBLICATION (IJCSPUB.ORG)